Revision: 05.02.2019



### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2019

Version number 1.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: REX REINIGER
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Only for proper handling. Solvents
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

**BUCHER AG LANGENTHAL** MOTOREX-Schmiertechnik Bern-Zürich-Strasse 31 CH-4901 Langenthal Telefon +41 (0)62 919 75 75

· Only representative in EU:

MOTOREX Deutschland AG, Bismarckstrasse 28, D-69198 Schriesheim

- · Further information obtainable from: msds@motorex.com
- · 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

H226 Flammable liquid and vapour. Flam. Liq. 3

STOT SE 3 H336 May cause drowsiness or dizziness.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated

exposure.

H304 May be fatal if swallowed and enters airways. Asp. Tox. 1

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms









- · Signal word Danger
- · Hazard-determining components of labelling:

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

· Hazard statements

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

(Contd. on page 2)

Printing date 05.02.2019 Version number 1.2 Revision: 05.02.2019

Trade name: REX REINIGER

(Contd. of page 1)

H372 Causes damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EC number: 919-446-0 Reg.nr.: 01-2119458049-33	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics aromatics (2-25%)	70-100%
	STOT RE 1, H372; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336	

· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
aliphatic hydrocarbons	≥30%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove residues with soap and water.

Remove contaminated clothing immediately.

Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water.

Consult a physician if irritation develops.

(Contd. on page 3)

Printing date 05.02.2019 Version number 1.2 Revision: 05.02.2019

Trade name: REX REINIGER

(Contd. of page 2)

· After swallowing:

Do not induce vomitting. Do not take in resorption stimulating agents. Consult a physician who will decide on need and method of emptying the stomach.

**4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Complete combustion will result in carbon dioxide and water. During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Printing date 05.02.2019 Version number 1.2 Revision: 05.02.2019

Trade name: REX REINIGER

(Contd. of page 3)

- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

·DNELs				
Hydrocar	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)			
Oral	DNEL/general population/Systemic effects/Long-term	26 mg/kg/24h (consumer)		
Dermal	DNEL / Workers / Systemic effects / Long-term	44 mg/kg/24h (worker)		
	DNEL/general population/Systemic effects/Long-term	26 mg/kg/24h (consumer)		
Inhalative	DNEL/general population/Systemic effects/Long-term	71 mg/m3 (consumer)		

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Protective gloves to EN374, resistant to oil in use. Standard EN 374 Level 3 control G1 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

(Contd. on page 5)

Printing date 05.02.2019 Version number 1.2 Revision: 05.02.2019

Trade name: REX REINIGER

(Contd. of page 4)

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 60 minutes (Permeation according to EN 374 Part 3: Level 1).

Eye protection:



· Body protection: Protective work clothing

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and of General Information	chemical properties
Appearance:	
Form:	Fluid
Colour:	Colourless
Odour:	Solvent-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: >150 °C (DIN EN ISO 3405)
Flash point:	40 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.775 g/cm³ (ASTM D 4052)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
	Not determined.
Dynamic: Kinematic:	<pre></pre> <pre>&lt;1 mm²/s @ 40 °C (DIN 51562-1)</pre>

(Contd. on page 6)

Printing date 05.02.2019 Version number 1.2 Revision: 05.02.2019

Trade name: REX REINIGER

(Contd. of page 5)

Solids content: 0.0 %

• 9.2 Other information No further relevant information available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	
Oral	LD50	15,000 mg/kg (rat)	
Dermal	LD50	4 ml/kg (rat)	
	NOAEL	495 mg/kg/24h (rat)	
Inhalative	LC50 / 4h	13.1 mg/l (rat)	
	NOAEL	300 ppm (rat)	
	NOAEC	690 ppm (rat)	
	LOAEC	100-1,293 ppm (rat)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

· Aspiration hazard

May be fatal if swallowed and enters airways.

GR

(Contd. on page 7)

Printing date 05.02.2019 Version number 1.2 Revision: 05.02.2019

Trade name: REX REINIGER

(Contd. of page 6)

#### SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic	· Aquatic toxicity:		
Hydroca	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		
EC10	C10 0.109-0.248 mg/l/21d (aquatic invertebrates)		
EC50	0.58-1.2 mg/l/96h (algae / cyanobacteria)		
EC50	0.53-0.94 mg/l/72h (algae / cyanobacteria)		
EC50	0.328-0.423 mg/l/21d (aquatic invertebrates)		
LL50	10-30 mg/l/96h (fish)		
LL50	10-30 mg/l/72h (fish)		
LL50	10-30 mg/l/48h (fish)		
LL50	30-100 mg/l/24h (fish)		
EL50	2.5-5.5 mg/l/96h (algae / cyanobacteria)		
EL50	10-22 mg/l/48h (aquatic invertebrates)		
EL50	22-46 mg/l/24h (aquatic invertebrates)		
NOEC	0.097-0.372 mg/l/21d (aquatic invertebrates)		
NOEC	0.16 mg/l/72h (algae / cyanobacteria)		
NOEC	0.16 mg/l/96h (algae / cyanobacteria)		
NOELR	0.13 mg/l/28d (fish)		
NOELR	0.28-1.4 mg/l/21d (aquatic invertebrates)		
NOELR	0.3 mg/l/96h (fish)		
LOEC	0.203-0.833 mg/l/72h (aquatic invertebrates)		

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Biodegradability 74.7 % (28d) (Biodegradability) (OECD 301 F)

- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (according to Appendix 1 AWSV): significantly hazardous to water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 05.02.2019 Version number 1.2 Revision: 05.02.2019

Trade name: REX REINIGER

(Contd. of page 7)

Contact waste processors for recycling information.

European waste catalogue

07 06 04\* other organic solvents, washing liquids and mother liquors

- · Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Discharged containers can contain flammable or explosive vapours.

	ation
14.1 UN-Number ADR/RID/ADN, IMDG, IATA	UN1300
14.2 UN proper shipping name ADR/RID/ADN	1300 TURPENTINE SUBSTITUTE solu ENVIRONMENTALLY HAZARDOUS
IMDG, IATA	TURPENTINE SUBSTITUTE solution
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR/RID/ADN, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
Special marking (ADR/RID/ADN):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler): EMS Number:	30 F-E,S-E
Stowage Category	A
14.7 Transport in bulk according to Ai II of Marpol and the IBC Code	
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packagir

(Contd. on page 9)

Printing date 05.02.2019 Version number 1.2 Revision: 05.02.2019

Trade name: REX REINIGER

	(Contd. of page 8
Transport category Tunnel restriction code	30 ml Maximum net quantity per outer packaging 1000 ml 3 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging 30 ml Maximum net quantity per outer packaging 1000 ml
UN "Model Regulation":	UN 1300 TURPENTINE SUBSTITUTE SOLUTION, 3, III, ENVIRONMENTALLY HAZARDOUS

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · UFI Code F49F-VED3-U00U-M28T
- · 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)

(Contd. of page 9)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2019 Version number 1.2 Revision: 05.02.2019

Trade name: REX REINIGER

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* \* Data compared to the previous version altered.